



耀翔集團

中山誠盈塑膠科技有限公司

中國:中山誠盈廠

電話:+86-760-22738858

傳真:+86-760-22738878

信箱:sales@yaoshyan.com

地址:中國廣東省中山市小欖鎮為民路72號

郵編:528414

中山耀翔塑膠制品有限公司

中國:中山耀翔廠

電話:+86-760-22227551

傳真:+86-760-22226778

信箱:sales@yaoshyan.com

地址:中國廣東省中山市小欖鎮廣福路11號

郵編:528414

上海耀弘塑膠制品有限公司

中國:上海耀弘廠

電話:+86-21-36042165

傳真:+86-21-36043800

信箱:sales@yaoshyan.com

地址:中國上海市寶山區顧村鎮寶安公路851號

郵編:201906

耀翔工業股份有限公司

臺灣:臺南耀翔廠

電話:+886-6-5938178

傳真:+886-6-5938191

信箱:sales@yaoshyan.com

地址:臺灣臺南市安定區中沙里沙侖26號

郵編:745

Yao Shyan Group

Zhongshan Cheng Ying Plastic Technology Co., Ltd.

China: Zhongshan Cheng Ying Factory

☎ + 86-760-22738858

☎ + 86-760-22738878

✉ sales@yaoshyan.com

📍 No. 72, WeiMin Rd., XiaoLan Town, Zhongshan City, Guangdong Province, China.

Postal Code: 528414

Zhongshan Yao Shyan Plastic Products Co., Ltd.

China: Zhongshan Yao Shyan Factory

☎ + 86-760-22227551

☎ + 86-760-22226778

✉ sales@yaoshyan.com

📍 No. 11, GuangFu Rd., XiaoLan Town, Zhongshan City, Guangdong Province, China.

Postal Code: 528414

Shanghai Yao Hong Plastic Products Co., Ltd.

China: Shanghai Yao Hong Factory

☎ + 86-21-36042165

☎ + 86-21-36043800

✉ sales@yaoshyan.com

📍 No. 851, BaoAn Rd., GuCun Town, Baoshan District, Shanghai, China.

Postal Code: 201906

Yolk Shing Industry Co., Ltd.

Taiwan: Tainan Yolk Shing Factory

☎ + 886-6-5938178

☎ + 886-6-5938191

✉ sales@yaoshyan.com

📍 No. 26, ShaLun, ChunSha Li, Anding District, Tainan City, Taiwan.

Postal Code: 745

www.yaoshyan.com



Yao Shyan

Since 1986



Professional wheels maker



inch 尺寸	serial# 系列號	2 sides 雙面	1 side 單面	tire 外胎
7" 8" 9.5" 11.5"	YS-368 飛翔輪			   
	YS-378 三環輪			   
	YS-388 飛蝶輪			  
	YS-508 七支輪			  
	YS-518 五星輪			    
	YS-528 眾旺輪			 
	YS-558 凱旋輪			 
	YS-588 雙環五星輪			    
	YS-598 星空輪			    
	YS-608 五岳輪			
	YS-618 四季輪			
	YS-658 奔馳輪			

wheel specification and weight referenece chart. 輪子尺寸規格+克重 / 參考表								
單位: mm*mm (g) Unit: Diameter * Width (g)	Standard rim							
	5.5"-1	6"-1	6"-2	7"-1 / 7"-2	8"-1 / 8"-2	9.5"-1 / 9.5"-2	11.5"-1 / 11.5"-2	
E-1	138*27 光胎 (77g)	152*29 光胎 (108g)	145*32 (107g)	174*34(159g)	202*38(233g)	237*42(365g)	290*42(501g)	
E-2			147*31(123g)	180*35(170g)	202*38(255g)	241*42(375g)	290*43(525g)	
E-3				177*34(155g)	202*38(249g)	240*42(358g)	290*42(485g)	
E-5					199*38(251g)	240*44(325g)		
ER-1		148*33(118g)	147*31(123g)	176*34(175g)	206*36(270g)	237*42(395g)	292*41(552g)	
ER-3	134*27(89g)	151*28(99g)		177*34(155g)	204*38(247g)	240*42(307g)	292*43(533g)	
ER-5				173*34(168g)	204*38(249g)	240*42(380g)	292*43(533g)	
ER-N1		162*31(136g)		177*30(170g)	202*32(232g)	235*33(289g)	292*36(446g)	
RS-1				180*35(296g)	204*38(338g)	238*42(505g)	290*40(745g)	
RS-2				180*35(256g)	204*38(345g)	238*42(525g)	296*42(775g)	
RS-3				181*34(270g)	208*39(340g)	251*42(535g)	302*40(755g)	
RS-5				181*34(275g)	204*37(340g)	239*41(485g)	292*42(715g)	
RS-7				180*33(275g)	202*37(340g)	238*42(516g)	292*42(745g)	
PU-1			147*32(186g)	175*34(274g)	198*36(356g)	236*42(530g)	294*43(735g)	
PU-2			147*32(178g)	175*33(257g)	198*36(354g)	236*42(536g)	290*40(735g)	
PU-3			147*32(186g)	176*34(270g)	198*36(356g)	234*41(499g)	285*41(750g)	
PU-5				176*34(263g)	203*37(370g)	240*42(490g)	292*42(740g)	
PU-6				191*34(337g) 7.5"	199*37(347g) 8"	255*42(780g) 10"	304*44(862g) 12"	
PU-7			148*32(165g)	178*34(252g)	202*37(348g)	241*41(509g)	292*42(715g)	
PU-9		152*28(137g)		190*35(185.6g)				
PU-10				177*35(226g)	200*37(340g)	240*42(501g)	295*43(676g)	
PU-N1				175*30(189g)	203*32(282g)	238*33(356g)	292*37(555g)	
ETPU-1	136*28(96g)	153*30(115g) 6"		171*35(177g) 6.7"	192*38(255g) 7.5"	233*44(360g) 9"	283*44(470g) 11"	
ETPU-N1				180*30(177g)	205*32(233g)	238*33(305g)	293*36(476g)	
沙灘輪(ER線條胎)					202*49(381g)		300*50(622g)	
沙灘輪(PU-6)					198*50(467g)		300*50(694g)	

Understanding of YS wheels serial code:

了解耀翔輪子序號:

Symbol illustrated: 解說:

- YS = Yao Shyan (耀翔)
- E = EVA Tire (EVA發泡輪)
- ER = EVA Rubber Tire (ER胎)
- PU = PolyUrethane Tire (PU胎)
- RS = Rubber Skin + inner EVA Tire (橡膠包EVA內胎)
- ETPU = Expanded Thermoplastic Polyurethane Tire (ETPU胎)
- A = Air Rubber Tire (橡膠打氣胎)
- N = Narrow Width (窄版)





YS-508-10"-2-ER-2
(240mm*44mm) 505g+(2*20g)



YS-508-12"-1-A-2
(293mm*44mm) 760g



- YS-508-8" -2-
 - YS-508-10" -2-
 - YS-508-12" -1-
 - YS-508-16" -1-
- A-1, A-2, A-3, A-5, ER-2, ER-8, PU-8,

YS-508 (七支輪)

Air (橡膠打氣胎) 8" / 10" / 12" / 16"



YS-508-8"-2-A-5
(203mm*37mm) 400g+(2*12g)



YS-508-10"-2-A-3
(242mm*46mm) 570g+(2*20g)



YS-508-12"-2-PU-8
(286mm*44mm) 750g+(2*20g)



YS-508-16"-1-A-3
(395mm*44mm) 1140g

YS-568 (天悅輪)

Air (橡膠打氣胎) 8" / 10" / 12" / 16"

- YS-568-8" -2-
 - YS-568-10" -2-
 - YS-568-12" -1-
 - YS-568-16" -1-
- A-1, A-2, A-3, A-5, ER-2, ER-8, PU-8,



YS-568-12"-2-A-2
(293mm*44mm) 760g+(2*20g)



YS-568-12"-1-A-5
(293mm*44mm) 760g



YS-568-12"-1-ER-8
(301mm*45mm) 705g



YS-568-16"-1-A-2
(395mm*44mm) 1140g

YS-398 (花開輪)

Air (橡膠打氣胎) 8" / 10" / 12" / 16"

- YS-398-8" -2-
 - YS-398-10" -2-
 - YS-398-12" -2-
 - YS-398-16" -1-
- A-1, A-2, A-3, A-5, ER-2, ER-8, PU-8,



YS-398-8.5"-2-ER-2
(225mm*43mm) 335g+(2*12g)



YS-398-12"-2-PU-8
(286mm*44mm) 760g+(2*20g)



YS-398-16"-1-A-1
(395mm*44mm) 1140g+(1*20g)



A-1



A-2



A-3



A-5



ER-2



ER-8 / PU-8



Focus On Wheels
Since 1986

YS-658

(奔馳輪)

7" / 8" / 9.5" / 11.5"



- YS-658-7" <-1-2- E-1, E-2, E-3, E-5, ER-1, ER-3, ER-5, PU-1, PU-2, PU-3, PU-5, PU-6, PU-7, PU-10, RS-1, RS-2, RS-3, RS-5, RS-7, ETPU-1, ETPU-2,
- YS-658-8" <-1-2- E-1, E-2, E-3, E-5, ER-1, ER-3, ER-5, PU-1, PU-2, PU-3, PU-5, PU-6, PU-7, PU-10, RS-1, RS-2, RS-3, RS-5, RS-7, ETPU-1, ETPU-2,
- YS-658-9.5" <-1-2- E-1, E-2, E-3, E-5, ER-1, ER-3, ER-5, PU-1, PU-2, PU-3, PU-5, PU-6, PU-7, PU-10, RS-1, RS-2, RS-3, RS-5, RS-7, ETPU-1, ETPU-2,
- YS-658-11.5" -1- E-1, E-2, E-3, E-5, ER-1, ER-3, ER-5, PU-1, PU-2, PU-3, PU-5, PU-6, PU-7, PU-10, RS-1, RS-2, RS-3, RS-5, RS-7, ETPU-1, ETPU-2,



YS-658-6.7"-2-ETPU-2
(171mm*35mm) 177g+(2*12g)



YS-658-8"-2-PU-7
(202mm*38mm) 335g+(2*12g)



YS-658-8"-2-ER-5
(204mm*38mm) 249g+(2*12g)



YS-658-9.5"-2-E-3
(240mm*42mm) 358g+(2*20g)



YS-658-9"-2-ETPU-1
(233mm*44mm) 360g+(2*20g)



YS-658-8"-2-E-5
(199mm*38mm) 251g+(2*12g)



YS-658-9.5"-1-E-5
(240mm*44mm) 325g



YS-658-11.5"-1-PU-3
(285mm*41mm) 750g



YS-658-11.5"-1-PU-10
(295mm*43mm) 676g



YS-658-11.5"-1-ER-5
(292mm*43mm) 533g



E-1



E-2 ER-3



E-3



E-5



ER-1 PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1



ETPU-2



YS-638

(三旋輪)

8" / 9.5"



YS-638-9.5"-2-ER-5
(240mm*42mm) 380g+(2*20g)



YS-638-9.5"-2-PU-3
(234mm*41mm) 499g+(2*20g)



YS-638-9.5"-2-PU-10
(240mm*42mm) 501g+(2*20g)



YS-638-8"-2-ER-5
(204mm*38mm) 249g+(2*12g)



YS-638-8"-2-PU-7
(202mm*38mm) 335g+(2*12g)



YS-638-8"-2-E-5
(199mm*38mm) 251g+(2*12g)



YS-638-8"-2-E-3
(202mm*38mm) 249g+(2*12g)



YS-628-9.5"-1-PU-N1
(238mm*33mm) 356g



YS-628-11.5"-1-ETPU-N1
(293mm*36mm) 476g



YS-628-11.5"-1-ETPU-N3
(293mm*36mm) 476g



YS-628-7"-2-ER-N1
(177mm*30mm) 170g+(2*12g)



YS-628-8"-2-ER-N2
(202mm*32mm) 232g+(2*12g)



ER-N1



ER-N2



PU-N1



ETPU-N1



ETPU-N3

YS-628

(Narrow Width)

(五支輪-窄版)

7" / 8" / 9.5" / 11.5"

ER-N1, ER-N2,
PU-N1,
ETPU-N1, ETPU-N3,



Focus On Wheels
Since 1986

YS-618

(四季輪)

6" / 7" / 8" / 9.5" / 11.5"



- YS-618-6" -2- (E-1, E-2, ER-1, PU-1, PU-2, PU-3)
- YS-618-7" -2- (E-1, E-2, E-3, E-5, ER-1, ER-3, ER-5, PU-1, PU-2, PU-3, PU-5,
- YS-618-8" <-1- PU-6, PU-7, PU-10,
- <-2- RS-1, RS-2, RS-3, RS-5, RS-7,
- YS-618-9.5" <-1- ETPU-1, ETPU-2,
- <-2-
- YS-618-11.5" -1-



YS-618-6"-2-E-2

(147mm*31mm) 123g+(2*12g)



YS-618-7"-2-PU-2

(175mm*33mm) 257g+(2*12g)



YS-618-8"-2-RS-2

(204mm*38mm) 345g+(2*12g)



YS-618-8"-2-E-5

(199mm*38mm) 251g+(2*12g)



YS-618-9.5"-2-PU-7

(241mm*41mm) 509g+(2*20g)



YS-618-9.5"-2-ER-5

(240mm*42mm) 380g+(2*20g)



YS-618-9.5"-1-PU-10

(240mm*42mm) 501g



YS-618-11.5"-1-RS-7

(292mm*42mm) 745g



YS-618-11"-1-ETPU-1

(283mm*44mm) 470g



YS-618-11"-1-ETPU-2

(283mm*44mm) 470g



E-1



E-2 ER-3



E-3



E-5



ER-1 PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1



ETPU-2



Focus On Wheels
Since 1986

YS-618

(Narrow Width)

(四季輪-窄版)

7" / 8" / 9.5" / 11.5"



- YS-618-7" -2-
- YS-618-8" <-1-
-2-
- YS-618-9.5" <-1-
-2-
- YS-618-11.5" -1-

ER-N1, ER-N2,
PU-N1,
ETPU-N1, ETPU-N3,



YS-618-8"-2-ER-N2
(202mm*32mm) 232g+(2*12g)



YS-618-8"-2-ER-N2
(202mm*32mm) 232g+(2*12g)



YS-618-7"-2-PU-N1
(175mm*30mm) 189g+(2*12g)



YS-618-7"-2-ER-N1
(177mm*30mm) 170g+(2*12g)



YS-618-8"-2-ETPU-N3
(205mm*32mm) 233g+(2*12g)



YS-618-9.5"-2-ETPU-N1
(238mm*33mm) 305g+(2*20g)



YS-618-9.5"-1-ETPU-N1
(238mm*33mm) 305g



YS-618-11.5"-1-PU-N1
(292mm*37mm) 555g



YS-618-11.5"-1-ETPU-N1
(292mm*36mm) 476g



YS-618-11.5"-1-ETPU-N3
(293mm*36mm) 476g



ER-N1



ER-N2



PU-N1



ETPU-N1



ETPU-N3



Focus On Wheels
Since 1986

YS-608

(五岳輪)

6" / 7" / 8" / 9.5" / 11.5"



YS-608-6"-2-E-1

(145mm*32mm) 107g+(2*12g)



YS-608-7"-2-PU-1

(175mm*34mm) 274g+(2*12g)



YS-608-8"-2-E-5

(199mm*38mm) 251g+(2*12g)



YS-608-9.5"-2-RS-2

(238mm*42mm) 525g+(2*20g)



YS-608-9.5"-2-PU-3

(234mm*41mm) 499g+(2*20g)



YS-608-9.5"-2-PU-10

(240mm*42mm) 501g+(2*20g)



YS-608-9.5"-1-ER-5

(240mm*42mm) 380g



YS-608-11.5"-1-PU-7

(292mm*42mm) 715g



YS-608-11"-1-ETPU-1

(283mm*44mm) 470g



YS-608-11"-1-ETPU-2

(283mm*44mm) 470g

■ YS-608-6" -2- (E-1, E-2, ER-1, PU-1, PU-2, PU-3)

■ YS-608-7" -2-

E-1, E-2, E-3, E-5,

■ YS-608-8" <-1-

ER-1, ER-3, ER-5,

PU-1, PU-2, PU-3, PU-5,

■ YS-608-9.5" <-1-

PU-6, PU-7, PU-10,

RS-1, RS-2, RS-3, RS-5, RS-7,

■ YS-608-11.5" -1-

ETPU-1, ETPU-2,



E-1



E-2



ER-3



E-3



E-5



ER-1



PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1



ETPU-2



Focus On Wheels
Since 1986

YS-608

(Narrow Width)

(五岳輪-窄版)

7" / 8" / 9.5" / 11.5"



- YS-608-7" -2-
 - YS-608-8" <-1-
 - YS-608-9.5" <-1-
 - YS-608-11.5" -1-
- ER-N1, ER-N2,
PU-N1,
ETPU-N1, ETPU-N3,



YS-608-7"-2-PU-N1
(175mm*30mm) 189g+(2*12g)



YS-608-7"-2-ER-N1
(177mm*30mm) 170g+(2*12g)



YS-608-8"-2-ER-N2
(202mm*32mm) 232g+(2*12g)



YS-608-8"-2-ER-N2
(202mm*32mm) 232g+(2*12g)



YS-608-8"-2-ETPU-N1
(205mm*32mm) 233g+(2*12g)



YS-608-9.5"-2-ETPU-N1
(238mm*33mm) 305g+(2*20g)



YS-608-9.5"-1-ETPU-N3
(238mm*33mm) 305g



YS-608-11.5"-1-PU-N1
(292mm*37mm) 555g



YS-608-11.5"-1-ETPU-N1
(293mm*36mm) 476g



YS-608-11.5"-1-ETPU-N3
(293mm*36mm) 476g





Focus On Wheels
Since 1986



YS-598-6"-2-E-1
(145mm*32mm) 107g+(2*12g)



YS-598-7"-2-E-2
(180mm*35mm) 170g+(2*12g)



YS-598-8"-2-ER-1
(206mm*36mm) 270g+(2*12g)



YS-598-8"-2-PU-6
(199mm*37mm) 347g+(2*12g)



YS-598-9.5"-2-PU-2
(236mm*42mm) 536g+(2*20g)

YS-598

(星空輪)

6" / 7" / 8" / 9.5" / 11.5"



■ YS-598-6" -2- (E-1, E-2, ER-1, PU-1, PU-2, PU-3)

■ YS-598-7" <-1- E-1, E-2, E-3, E-5,
-2- ER-1, ER-3, ER-5,
■ YS-598-8" <-1- PU-1, PU-2, PU-3, PU-5,
-2- PU-6, PU-7, PU-10,
■ YS-598-9.5" <-1- RS-1, RS-2, RS-3, RS-5, RS-7,
-2- ETPU-1, ETPU-2,
■ YS-598-11.5" -1- ETPU-1, ETPU-2,



YS-598-8"-1-PU-7
(202mm*38mm) 335g



YS-598-9.5"-1-PU-3
(234mm*41mm) 499g



YS-598-9.5"-1-RS-5
(239mm*41mm) 485g



YS-598-11"-1-ETPU-1
(283mm*44mm) 470g



YS-598-11"-1-ETPU-2
(283mm*44mm) 470g





Focus On Wheels
Since 1986



YS-588-7\"/>



YS-588-7\"/>



YS-588-8\"/>



YS-588-9.5\"/>



YS-588-9.5\"/>

YS-588

(雙環五星輪)

7" / 8" / 9.5" / 11.5"



- YS-588-7" <-1-
-2- E-1, E-2, E-3, E-5,
- YS-588-8" <-1-
-2- ER-1, ER-3, ER-5,
- YS-588-9.5" <-1-
-2- PU-1, PU-2, PU-3, PU-5,
- YS-588-11.5" -1- PU-6, PU-7, PU-10,
- ETPU-1, ETPU-2, RS-1, RS-2, RS-3, RS-5, RS-7,



YS-588-7\"/>



YS-588-8\"/>



YS-588-9.5\"/>



YS-588-10\"/>



YS-588-11.5\"/>



E-1



E-2 ER-3



E-3



E-5



ER-1 PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1



ETPU-2



YS-578

(沙灘輪)

8" / 12"



YS-578-8"-2-ER 線條胎
(202mm*49mm) 381g+(2*12g)



YS-578-8"-2-ER 線條胎
(202mm*49mm) 381g+(2*12g)



YS-578-8"-2-PU-6
(198mm*50mm) 467g+(2*12g)



YS-578-8"-2-PU-6
(198mm*50mm) 467g+(2*12g)



YS-578-11.5"-1-ER 線條胎
(300mm*50mm) 622g



YS-578-11.5"-1-ER 線條胎
(300mm*50mm) 622g



YS-578-11.5"-1-PU-6
(300mm*50mm) 694g



YS-578-11.5"-1-PU-6
(300mm*50mm) 694g

YS-616

(Narrow Width)
(三叉輪-窄版)



YS-616-8"-2-ER-N2
(202mm*32mm) 232g+(2*12g)



YS-616-10"-2-ER-N1
(235mm*33mm) 289g+(2*20g)

YS-626

(Narrow Width)
(五鎖輪-窄版)



YS-626-8"-2-ER-N1
(202mm*32mm) 232g+(2*12g)



YS-626-8"-2-ER-N2
(202mm*32mm) 232g+(2*12g)



YS-626-10"-2-ER-N1
(235mm*33mm) 289g+(2*20g)



YS-626-10"-2-ER-N2
(235mm*33mm) 289g+(2*20g)

YS-656

(六支輪)



YS-656-8"-2-PU
(196mm*36mm) 346g+(2*12g)



YS-656-8"-2-PU
(196mm*36mm) 346g+(2*12g)

YS-508

(Narrow Width)
(七支輪-窄版)



YS-508-5.5"-2-ER-3
(134mm*27mm) 89g+(2*12g)



YS-508-6"-1-PU
波浪胎紋
(150mm*27mm) 163g

YS-378

(Narrow Width)
(三環輪-窄版)



YS-378-5.5"-2-E 光胎
(135mm*27mm) 77g+(2*12g)



YS-528-5.5"-2-PU
(132mm*27mm) 117g+(2*12g)



YS-528-6.5"-1-PU
(155mm*27mm) 185g



Focus On Wheels
Since 1986




YS-558-7"-2-E-2
(180mm*35mm) 170g+(2*12g)

YS-558

(凱旋輪)

7" / 8" / 9.5" / 11.5"



- YS-558-7" -2- E-1, E-2, E-3, E-5, ER-1, ER-3, ER-5,
- YS-558-8" <-1- PU-1, PU-2, PU-3, PU-5, <-2- PU-6, PU-7, PU-10,
- YS-558-9.5" <-1- RS-1, RS-2, RS-3, RS-5, RS-7, <-2- ETPU-1, ETPU-2,
- YS-558-11.5" -1-



YS-558-8"-1-PU-1
(198mm*36mm) 356g



YS-558-8"-2-ER-1
(206mm*36mm) 270g+(2*12g)



YS-558-8"-2-PU-3
(198mm*36mm) 356g+(2*12g)



YS-558-8"-1-RS-1
(204mm*38mm) 338g



YS-558-9.5"-1-RS-3
(251mm*42mm) 535g



YS-558-9.5"-1-PU-2
(236mm*42mm) 536g



YS-558-9.5"-1-RS-5
(239mm*41mm) 485g



YS-558-10"-1-PU-6
(255mm*42mm) 780g



YS-558-11.5"-1-PU-7
(292mm*42mm) 715g



E-1



E-2



ER-3



E-3



E-5



ER-1



PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1



ETPU-2



Focus On Wheels
Since 1986



YS-528-7"-2-E-2 / **YS-528-7"-2-RS-2**
(180mm*35mm) 170g+(2*12g) / (180mm*35mm) 256g+(2*12g)

YS-528

(眾旺輪)

7" / 8" / 9.5" / 11.5"



- YS-528-7" -2-
- YS-528-8" <-1-
-2-
- YS-528-9.5" <-1-
-2-
- YS-528-11.5" -1-

E-1, E-2, E-3, E-5,
ER-1, ER-3, ER-5,
PU-1, PU-2, PU-3, PU-5,
PU-6, PU-7, PU-10,
RS-1, RS-2, RS-3, RS-5, RS-7,
ETPU-1, ETPU-2,



YS-528-9.5"-1-ER-1 / **YS-528-9.5"-1-PU-5**
(237mm*42mm) 395g / (240mm*42mm) 490g



YS-528-8"-2-PU-1
(198mm*36mm) 356g+(2*12g)



YS-528-8"-2-PU-3
(198mm*36mm) 356g+(2*12g)



YS-528-8"-2-RS-3
(208mm*39mm) 340g+(2*12g)



YS-528-9.5"-1-ER-5
(240mm*42mm) 380g



YS-528-9.5"-1-PU-2
(236mm*42mm) 536g



YS-528-9.5"-1-RS-1
(238mm*42mm) 505g



YS-528-11.5"-1-PU-7
(292mm*42mm) 715g



YS-528-11.5"-1-RS-5
(292mm*42mm) 715g



E-1



E-2

ER-3



E-3



E-5



ER-1

PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1



ETPU-2



Focus On Wheels
Since 1986



YS-518-8"-2-PU-1
(198mm*36mm) 356g+(2*12g)



YS-518-8"-2-PU-3
(198mm*36mm) 356g+(2*12g)



YS-518-8"-2-PU-2
(198mm*36mm) 354g+(2*12g)



YS-518-8"-2-PU-5
(203mm*37mm) 370g+(2*12g)



YS-518-9.5"-2-PU-10
(240mm*42mm) 501g+(2*20g)



YS-518-9.5"-2-E-1
(237mm*42mm) 365g+(2*20g)

YS-518

(五星輪)

8" / 9.5" / 11.5"



■ YS-518-8"

<-1-
<-2-

■ YS-518-9.5"

<-1-
<-2-

■ YS-518-11.5" -1-

E-1, E-2, E-3, E-5,
ER-1, ER-3, ER-5,
PU-1, PU-2, PU-3, PU-5,
PU-6, PU-7, PU-10,
RS-1, RS-2, RS-3, RS-5, RS-7,
ETPU-1, ETPU-2,



YS-518-9.5"-2-ER-5
(240mm*42mm) 380g+(2*20g)



YS-518-9.5"-1-RS-3
(251mm*42mm) 535g



YS-518-11.5"-1-RS-2
(296mm*42mm) 775g



YS-518-11.5"-1-RS-5
(292mm*42mm) 715g



YS-518-11.5"-1-PU-7
(292mm*42mm) 715g





Focus On Wheels
Since 1986



YS-508-6"-2-E-2
(147mm*31mm) 123g+(2*12g)



YS-508-7"-2-E-1
(174mm*34mm) 159g+(2*12g)



YS-508-8"-2-ER-1
(206mm*36mm) 270g+(2*12g)



YS-508-9.5"-2-PU-3
(234mm*41mm) 499g+(2*20g)



YS-508-11.5"-2-E-2
(290mm*43mm) 525g+(2*20g)

YS-508 (七支輪)

6" / 7" / 8" / 9.5" / 11.5"



- YS-508-6" < -1-
-2- (E-1, E-2, ER-1, PU-1, PU-2, PU-3)
- YS-508-7" < -1-
-2- E-1, E-2, E-3, E-5,
ER-1, ER-3, ER-5,
- YS-508-8" < -1-
-2- PU-1, PU-2, PU-3, PU-5,
PU-6, PU-7, PU-10,
- YS-508-9.5" < -1-
-2- RS-1, RS-2, RS-3, RS-5, RS-7,
ETPU-1, ETPU-2,
- YS-508-11.5" < -1-
-2-



YS-508-6"-1-E-1
(145mm*32mm) 107g



YS-508-6.7"-1-ETPU-2
(171mm*35mm) 177g



YS-508-7.5"-1-ETPU-1
(192mm*38mm) 255g



YS-508-9.5"-1-ER-5
(240mm*42mm) 380g



YS-508-11.5"-1-PU-7
(292mm*42mm) 715g



E-1



E-2 ER-3



E-3



E-5



ER-1 PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1



ETPU-2



Focus On Wheels
Since 1986



YS-388-7"-2-PU-1
(175mm*34mm) 274g+(2*12g)




YS-388-7"-2-RS-3
(181mm*34mm) 270g+(2*12g)

YS-388

(飛蝶輪)

7" / 8" / 9.5" / 11.5"



- YS-388-7" <-1-2- E-1, E-2, E-3, E-5, ER-1, ER-3, ER-5,
- YS-388-8" <-1-2- PU-1, PU-2, PU-3, PU-5,
- YS-388-9.5" <-1-2- PU-6, PU-7, PU-10, RS-1, RS-2, RS-3, RS-5, RS-7,
- YS-388-11.5" -1- ETPU-1, ETPU-2,



YS-388-7"-1-E-1
(174mm*34mm) 159g



YS-388-7"-2-RS-1
(180mm*35mm) 296g+(2*12g)



YS-388-8"-2-PU-6
(199mm*37mm) 347g+(2*12g)



YS-388-9.5"-1-PU-3
(234mm*41mm) 499g



YS-388-9.5"-1-ER-1 / **YS-388-9.5"-1-PU-5**
(237mm*42mm) 395g (240mm*42mm) 490g



YS-388-9.5"-1-PU-2
(236mm*42mm) 536g



YS-388-11.5"-1-PU-7
(292mm*42mm) 715g



YS-388-11.5"-1-E-2
(290mm*43mm) 525g



YS-388-11.5"-1-RS-2
(296mm*42mm) 775g



YS-388-11.5"-1-RS-5
(292mm*42mm) 715g



E-1



E-2



ER-3



E-3



E-5



ER-1



PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1

ETPU-2



Focus On Wheels
Since 1986



YS-378-7"-2-PU-1
(175mm*34mm) 274g+(2*12g)



YS-378-7"-2-E-1
(174mm*34mm) 159g+(2*12g)



YS-378-8"-2-RS-5
(204mm*37mm) 340g+(2*12g)



YS-378-8"-2-PU-6
(199mm*37mm) 347g+(2*12g)



YS-378-9.5"-2-E-2
(241mm*42mm) 375g+(2*20g)

YS-378

(三環輪)

7" / 8" / 9.5" / 11.5"



YS-378-7"-1-PU-3
(176mm*34mm) 270g



YS-378-8"-1-PU-5
(203mm*37mm) 370g



YS-378-9.5"-1-PU-2
(236mm*42mm) 536g



YS-378-11.5"-1-PU-7
(292mm*42mm) 715g



YS-378-11.5"-1-PU-10
(295mm*43mm) 676g



- YS-378-7" <-1-
-2- E-1, E-2, E-3, E-5,
ER-1, ER-3, ER-5,
- YS-378-8" <-1-
-2- PU-1, PU-2, PU-3, PU-5,
PU-6, PU-7, PU-10,
- YS-378-9.5" <-1-
-2- RS-1, RS-2, RS-3, RS-5, RS-7,
- YS-378-11.5" -1- ETPU-1, ETPU-2,



E-1



E-2 ER-3



E-3



E-5



ER-1 PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1



ETPU-2



Focus On Wheels
Since 1986

YS-368

(飛翔輪)

6" / 7" / 8" / 9.5" / 11.5"



- YS-368-6" -2 (E-1, E-2, ER-1, PU-1, PU-2, PU-3)
- YS-368-7" <1- E-1, E-2, E-3, E-5,
-2 ER-1, ER-3, ER-5,
- YS-368-8" <1- PU-1, PU-2, PU-3, PU-5,
-2 PU-6, PU-7, PU-10,
- YS-368-9.5" <1- RS-1, RS-2, RS-3, RS-5, RS-7,
-2 ETPU-1, ETPU-2,
- YS-368-11.5" -1-



YS-368-6"-2-E-1
(145mm*32mm) 107g+(2*12g)



YS-368-7"-2-PU-3
(176mm*34mm) 270g+(2*12g)



YS-368-8"-2-RS-3
(208mm*39mm) 340g+(2*12g)



YS-368-9.5"-2-E-2
(241mm*42mm) 375g+(2*20g)



YS-368-9.5"-2-PU-10
(240mm*42mm) 501g+(2*20g)



YS-368-6"-1-ER-1
(147mm*31mm) 123g



YS-368-7"-1-PU-1
(175mm*34mm) 274g



YS-368-8"-1-ER-5
(204mm*38mm) 249g



YS-368-9.5"-1-RS-1
(238mm*42mm) 505g



YS-368-11.5"-1-PU-7
(292mm*42mm) 715g



E-1



E-2



ER-3



E-3



E-5



ER-1



PU-5



ER-5



PU-1



PU-2



PU-3



PU-6



PU-7



PU-10



RS-1



RS-2



RS-5



RS-7



ETPU-1

ETPU-2